

AGREEMENT



DAWSON

Foundation Repair Inc.

SERVING

Austin, Beaumont,
Bryan/College Station,
Corpus Christi, Dallas/Ft. Worth,
Houston, San Antonio,
Victoria and Waco

6906 Chetwood • Houston, Texas 77081 • (713) 668-2110 • Fax (713) 668-8521

1. DAWSON FOUNDATION REPAIR INC., hereafter called CONTRACTOR and JOHN MADJEN

hereafter called OWNER, agree that CONTRACTOR will furnish labor, equipment, and materials to perform the following described work to the hereinafter described building/structure located at 2715 OAKLAND SUGARLAND, TX

2. CONTRACTOR WILL INSTALL TWENTY-ONE (21)
BELL-BOTTOM PIERS UNDER THE FOUNDATION BEAMS OF THE BUILDING/STRUCTURE IN PLACES RECOMMENDED BY CONTRACTOR. PIERS WILL HAVE AN APPROXIMATELY THIRTY-SIX INCH DEEP JACKING PAD. THIS JACKING PAD THEN TAPERS TO A NINE INCH SHAFT, APPROXIMATELY THREE FEET SIX INCHES BELOW GRADE-BEAM. BASED ON A 15FT. CORE TEST, THE PIERS MAY HAVE TO BE PLACED AT A DEPTH OF NO LESS THAN EIGHT FEET OR A DEPTH OF NO MORE THAN TWELVE FEET, SAND, WATERTABLE, OR SUBSURFACE, MAN-PLACED OBJECTS PERMITTING. PIERS WILL BE UNDER-REAMED WITH A TWENTY-TWO INCH BELL BOTTOM. EACH PIER WILL BE REINFORCED WITH THREE (3) ONE HALF (1/2) INCH STEEL RODS AND POURED WITH FIVE-SACK CONCRETE. CONTRACTOR WILL RAISE AREAS WHERE PIERS ARE INSTALLED

of the building/structure and level to as near level line as construction of the building/structure will permit and will fill voids under the raised area by use of the mud-jack method. OWNER approves this method of repair and recognizes that such method is a generally accepted method of foundation repair employed in the area.

3. If slab is a post tension design, degree of levelness may be limited by structural integrity of the slab. There are three main problems with construction of post tension slabs. First the post tension cables may not have been tensioned correctly at the time of construction. Second, interior structural grade beams are not always located under load bearing walls. Third the cable tendons are not grouted properly at the exterior grade beam and can rust therefore creating a loss of cable tension. CONTRACTOR recommends that post tension cable slabs be checked by a post tension cable company after raising of the slab foundation has been completed. If cracks in the slab exceed one-eighth (1/8) of one inch, CONTRACTOR recommends that these cracks be pressure injected with epoxy by a company which specializes in this type of work.

4. Where interior piers are needed to correct foundation problems CONTRACTOR will use masking tape to hold plastic sheeting to walls for protection of walls. In the event that wallpaper or paint is damaged on removal of tape and plastic owner releases CONTRACTOR of liability for damage to paint and wallpaper.

5. Where holes are broken through slab, patios, sidewalks or driveways in order to install piers; CONTRACTOR will patch concrete. However, patches will not match color or texture of original concrete. CONTRACTOR will (break through) but will not replace exterior ground cover such as but not limited to brick, stone pavers, astroturf, etc. Where tile or vinyl is broken through to install piers CONTRACTOR will not repair or replace tile or vinyl. Where floor covering (i.e. carpet, wood floors, parquet etc.) has to be removed to install interior piers CONTRACTOR will not remove or replace floor coverings. OWNER understands and agrees that where interior piers are installed concrete patches should be sealed with concrete sealant by owner or flooring contractors before any floor coverings are replaced. CONTRACTOR will haul off excavated clay and debris.

6. Slurry to be pumped into voids will consist of soil and approximately two and one-half (2 1/2) sacks of stabilizing agent per cubic yard of soil. Due to the high plasticity of Houston area soils, CONTRACTOR recommends that any areas of the foundation which are raised approximately one inch or less should not be pumped with slurry.

7. It is understood and agreed that the slurry used to fill voids under the slab is a fluid substance and will flow through small cracks and crevices and CONTRACTOR shall not be responsible for damage resulting therefrom. Should there be any cracks in the sewer drain pipes or any other drain lines under the slab due to settling or raising, the price below does not include such repairs of any damage resulting therefrom. CONTRACTOR requires that HOMEOWNER has a Hydrostatic Pressure Test performed on under slab sewer/drain lines by an independent plumber before and after leveling is completed. This test is to check for leaks or breaks in sewer/drain lines. CONTRACTOR will keep the pipes open and operative. CONTRACTOR is not responsible for cleaning, roto-rooting, or repairing.

8. It is not anticipated that there will be any problems with the plumbing above the slab. However, if any leaks occur in the potable water or gas pipes due to the raising, CONTRACTOR will cause such leaks to be repaired at his expense, corrosion damage excluded.

9. Although CONTRACTOR has examined the building/structure heretofore described he is not totally familiar with conditions below ground level, the design of the foundation, or the construction materials used in the foundation and is making his recommendations based upon his experience in the industry. By reason of uncertainty, there is no assurance that the desired results will be totally achieved and that the same or similar problems may not occur in the future. IT IS UNDERSTOOD THAT IF A BUILDING/STRUCTURE IS PARTIALLY PIERED FURTHER SETTLEMENT MAY OCCUR IN OTHER AREAS SUCH AS THE REMAINDER OF THE PERIMETER AND/OR THE INTERIOR OF THE BUILDING/STRUCTURE. THEREFORE, THESE OTHER AREAS ABOVE MENTIONED ARE NOT COVERED BY OUR SERVICE AGREEMENT. When raising a slab, it is possible that more stress fractures will develop in the slab and damage will result above the level of the slab such as, but not limited to, sheetrock, wall plaster, tile, wooden members, roof, or other rigid materials. Therefore, the price below does not include any redecorating, repairing, or replacing of any material or items not specifically called for in this AGREEMENT. CONTRACTOR will remove and place in area of property as designated by OWNER any plants or shrubs on an as needed basis for project operations. Plants and shrubs will be returned to original positions as part of Project Completion. CONTRACTOR assumes no responsibility for plants, trees or shrubs which may be damaged or die during operation and OWNER waives any claim for damages for each and all items set forth in this paragraph. OWNER further releases CONTRACTOR from any liability for damage due to poor construction of building/structure not disclosed to CONTRACTOR by OWNER prior to commencement of work called for in this AGREEMENT.

10. Where holes are dug in order to perform work called for in this AGREEMENT, CONTRACTOR assumes no responsibility for damage to underground lines such as, but not limited to, electrical, or gas lines not installed by utility companies or cable companies which are not clearly marked by OWNER on the work plan prior to work commencing. OWNER waives all claims for such damages set forth in this paragraph.

11. CONTRACTOR will carry Workers' Occupational Accident Insurance up to the limit of one million dollars (\$1,000,000) and General Liability Insurance up to the limit of one million dollars (\$1,000,000).

12. Total cost for this work will be TEN THOUSAND DOLLAR
(10,000)

PAYMENT AS FOLLOWS: OWNER agrees to pay CONTRACTOR for one-half (1/2) of the total contract price on the day the concrete pour is completed, and the final one-half (1/2) on the day the leveling is completed. In the event it is necessary to file suit for the enforcement of this contract, suit shall be filed in Harris County, Texas and the homeowner/agent agrees to pay all costs of collecting or attempting to collect or secure the moneys due pursuant to this contract, including a reasonable attorney's fee. All amounts due under this contract that are not paid when due will bear interest at the lower of the maximum rate permitted by law 18% per annum from the time at which such amounts become due. If under slab plumbing needs to be repaired before CONTRACTOR can mudpump void, CONTRACTOR will mudpump within seven days of OWNER contacting office and advising that plumbing repairs are completed. Contractor will adjust previous contractors piers at a rate of \$ N/A per pier. OUR SERVICE AGREEMENT covers Dawson Foundation Repair piers only. NO SERVICE AGREEMENT ON PREVIOUS CONTRACTORS PIERS.

13. **LIFETIME SERVICE AGREEMENT:** OWNER RECOGNIZES THAT SOIL CONDITIONS IN THIS AREA ARE SUCH THAT THERE MAY OCCUR SOME FUTURE SHIFTING OF THE SOIL, PARTICULARLY DURING PERIODS OF EXTENDED DRY WEATHER, WHICH MAY RESULT IN NEW OR ADDITIONAL SETTLING. IF ANY RE-RAISING OF THE AREA OF THE BUILDING/STRUCTURE ON WHICH CONTRACTOR PERFORMS THE WORK SET FORTH HEREIN IS NECESSARY DUE TO SETTLING, AFTER COMPLETION OF PROJECT, CONTRACTOR WILL RE-RAISE SETTLED AREAS WHERE THE ABOVE DESCRIBED PIERS HAVE BEEN INSTALLED WITHOUT COST TO THE OWNER, EXCEPT FOR REMOVAL AND/OR REPLACEMENT OF FLOOR OR GROUND COVERING. THIS SERVICE AGREEMENT WILL NOT EXTEND TO ANY PORTION, INCLUDING, BUT NOT LIMITED TO, ANY AND ALL INTERIOR AREAS OF THE BUILDING/STRUCTURE OTHER THAN THOSE PORTIONS UPON WHICH CONTRACTOR ACTUALLY PERFORMS WORK PURSUANT HERETO. SETTLEMENT OF MORE THAN THREE EIGHTHS OF ONE INCH CONSTITUTES POSSIBLE NECESSITY OF RE-RAISING. IF ANY OTHER CONTRACTOR ADJUSTS DAWSON FOUNDATION REPAIR PIERS THE LIFETIME SERVICE AGREEMENT WILL BE VOID ON THOSE PIERS.

14. This AGREEMENT, in order to be binding upon CONTRACTOR, must be signed in the space provided below, and one copy returned to the office of DAWSON FOUNDATION REPAIR INC. within ninety (90) days from the date shown below.

15. The OWNER may order extra work to be done not included in this AGREEMENT, in which event a separate AGREEMENT for such work shall be entered into between OWNER and CONTRACTOR. No oral representation made by anyone can change or modify this AGREEMENT.

16. This SERVICE AGREEMENT may be transferred. In order for the transfer to be effective, written notification thereof must be furnished to CONTRACTOR within ninety days of closing of sale by OWNER named below in person or by registered mail. These requirements must be met within ninety days of closing or the SERVICE AGREEMENT becomes null and void. Before transferring any remaining agreement, Dawson reserves the right to inspect the property to determine if there have been any intervening situations that might affect the agreement.

17. If it becomes necessary to cut builders piers, there will be an additional charge of \$ N/A per builders pier cut.

18. OWNER also understands that negative or poor drainage away from the building/structure (such as, but not limited to, pooling) or trees in close proximity to the building/structure can cause further foundation problems both in areas where piers are installed and in areas where piers are not installed. CONTRACTOR can not correct heaving of building/structure caused by problems such as, but not limited to, poor drainage or plumbing leaks.

19. **MOLD AND OTHER CONTAMINANTS:** CONTRACTOR and OWNER expressly agree that CONTRACTOR and its employees and agents will not be liable for damages or costs of any type - and OWNER will hold harmless and indemnify CONTRACTOR from any and all claims or causes of action, including negligence, arising in any way from exposure to or the presence, release, growth or origin of any microorganism, organic or inorganic contaminant including, but not limited to, mold, mildew, fungus, yeast, allergens, infectious agents, wet or dry rot, rust or lead occurring in any way as a result of the services provided and work performed. The provisions contained herein are expressly material to this agreement and the "cost to the Owner" for the heretofore described "work" is determined in part by the AGREEMENT of the OWNER to these provisions.

20. **CONTRACTOR WILL SUBMIT PLANS FOR ALL REPAIR WORK CALLED FOR IN THIS AGREEMENT TO THE APPROPRIATE CITY BUILDING INSPECTION DEPARTMENT FOR PERMITS AND INSPECTIONS.**

The undersigned has read all of the terms of the AGREEMENT, is familiar with its provisions, is aware of soil conditions in Houston and the surrounding area and resulting possible settling therefrom and accepts the AGREEMENT subject to the terms and conditions therein contained.

This contract is subject to Chapter 27, Property Code. The provisions of that chapter may affect your right to recover damages arising from the performance of this contract. If you have a complaint concerning a construction defect arising from the performance of this contract and that defect has not been corrected through normal warranty service, you must provide notice regarding the defect to the contractor by certified mail, return receipt requested, not later than the 60th day before the date you file suit to recover damages in a court of law. The notice must refer to Chapter 27, Property Code, and must describe the construction defect. If requested by the contractor, you must provide the contractor an opportunity to inspect and cure the defect as provided by Section 27.004, Property Code.

1/6/2009

DATE Dec 15th 2008

John Madden

OWNER Martin Jaws

CONTRACTOR
DAWSON FOUNDATION REPAIR, INC.

DAWSON
Foundation Repair Inc.



6906 Chetwood Dr., Houston, TX 77081

August 9, 2016

To Whom It May Concern:

This is to confirm that the Lifetime Service Agreement for the foundation repairs performed by Dawson Foundation Repair on the building/structure located at 2715 OAKLAND DR, SUGAR LAND, TX 77479, has been transferred into the name(s) JAMES PERRY, the new owner(s), effective immediately. This Lifetime Service Agreement can be transferred again by the Selling Party at any point in the future if the residence is sold.

Best Regards,

A handwritten signature in cursive script, appearing to read 'JJ', is positioned above the printed name.

Jamie Jetton

Dawson Foundation Repair


jamie@dawsonfoundationrepair.com

- (X) = PIER LOCATION
- (●) = PIER LOCATION OPTION 2
- X = EXISTING PIERS
- [X] = PIERS TO BE REJACKED

ADDRESS 2715 OAKLAND
 CONTACT JOHN MADDEN
 PHONE NO. () 832-724-1314


HYDROSTATIC TEST PRE-TEST POST-TEST NO-TEST

() 712-5-6222



UNLESS JMD AND JOHN DECIDES NEEDED

- JSENT - 6750
- POTENTIAL INTERIORS IN NEAR FUTURE IF NOT STABILIZED BY EXTERIOR PIERS



Our Price Includes The Following:

- Building Permit As Needed
- Soil Testing (On Site To 15 Ft)
- Norex Engineering Will Inspect All Piers
- Locate & Mark Underground Utilities
- Fill The Voids Under Slab After Lift.
- No Nonsense Lifetime Transferable Service

- 1" MAX. LIFT
- RAINBOW/PEA GRAVEL PATCHES
- WOOD
- BRICK
- ONE-STORY
- TWO-STORY



Servicing:
 Austin • Beaumont
 Brian/College Station
 Corpus Christi • Dallas



Dawson Foundation Repair Inc.

6906 Chetwood
Houston, TX 77081

Statement

Date

8/7/2009

Bill To
John Madden 2715 Oakland Drive Sugar Land Texas 77479

Due Date	Rep	Amount Due	key Map
8/7/2009	MD	\$84.00	

Date	Description	Amount	Balance
01/31/2009	Balance forward		4,500.00
02/17/2009	PMT #7338. Invoice 29004	-3,142.86	1,357.14
03/10/2009	PMT #7343. Invoice 29004	-1,273.14	84.00
9-10-09	Came out to check front right (offic) cracks in wall. Dug up 2 front corner piers to check. David = REP. 2 9604810		

Rmt for broken hose system

					Amount Due
0.00	0.00	0.00	0.00	84.00	\$84.00

Phone #	Fax #	E-mail	Web Site
713-668-2110	713-668-8521	info@dawsonfoundationrepair.com	www.dawsonfoundationrepair.com

AGREEMENT



DAWSON

Foundation Repair Inc.

SERVING

Austin, Beaumont,
Bryan/College Station,
Corpus Christi, Dallas/Ft. Worth,
Houston, San Antonio,
Victoria and Waco

6906 Chetwood • Houston, Texas 77081 • (713) 668-2110 • Fax (713) 668-8521

1. DAWSON FOUNDATION REPAIR INC., hereafter called CONTRACTOR and

John Madden

hereafter called OWNER, agree that CONTRACTOR will furnish labor, equipment, and materials to perform the following described work to the hereinafter described building/structure located at 2715 Oakland Sugarland Tx.

2. CONTRACTOR WILL INSTALL (15) Fifteen piers

BELL-BOTTOM PIERS UNDER THE FOUNDATION BEAMS OF THE BUILDING/STRUCTURE IN PLACES RECOMMENDED BY CONTRACTOR. PIERS WILL HAVE AN APPROXIMATELY THIRTY-SIX INCH DEEP JACKING PAD. THIS JACKING PAD THEN TAPERS TO A NINE INCH SHAFT, APPROXIMATELY THREE FEET SIX INCHES BELOW GRADE-BEAM. BASED ON A 15FT. CORE TEST, THE PIERS MAY HAVE TO BE PLACED AT A DEPTH OF NO LESS THAN EIGHT FEET OR A DEPTH OF NO MORE THAN TWELVE FEET, SAND, WATERTABLE, OR SUBSURFACE, MAN-PLACED OBJECTS PERMITTING. PIERS WILL BE UNDER-REAMED WITH A TWENTY-TWO INCH BELL BOTTOM. EACH PIER WILL BE REINFORCED WITH THREE (3) ONE HALF (1/2) INCH STEEL RODS AND POURED WITH FIVE-SACK CONCRETE. CONTRACTOR WILL RAISE Foundation where piers are installed

There is a potential for interior piers.

of the building/structure and level to as near level line as construction of the building/structure will permit and will fill voids under the raised area by use of the mud-jack method. OWNER approves this method of repair and recognizes that such method is a generally accepted method of foundation repair employed in the area.

3. If slab is a post tension design, degree of levelness may be limited by structural integrity of the slab. There are three main problems with construction of post tension slabs. First the post tension cables may not have been tensioned correctly at the time of construction. Second, interior structural grade beams are not always located under load bearing walls. Third the cable tendons are not grouted properly at the exterior grade beam and can rust therefore creating a loss of cable tension. CONTRACTOR recommends that post tension cable slabs be checked by a post tension cable company after raising of the slab foundation has been completed. If cracks in the slab exceed one-eighth (1/8) of one inch, CONTRACTOR recommends that these cracks be pressure injected with epoxy by a company which specializes in this type of work.

4. Where interior piers are needed to correct foundation problems CONTRACTOR will use masking tape to hold plastic sheeting to walls for protection of walls. In the event that wallpaper or paint is damaged on removal of tape and plastic owner releases CONTRACTOR of liability for damage to paint and wallpaper.

5. Where holes are broken through slab, patios, sidewalks or driveways in order to install piers; CONTRACTOR will patch concrete. However, patches will not match color or texture of original concrete. CONTRACTOR will (break through) but will not replace exterior ground cover such as but not limited to brick, stone pavers, astroturf, etc. Where tile or vinyl is broken through to install piers CONTRACTOR will not repair or replace tile or vinyl. Where floor covering (i.e. carpet, wood floors, parquet etc.) has to be removed to install interior piers CONTRACTOR will not remove or replace floor coverings. OWNER understands and agrees that where interior piers are installed concrete patches should be sealed with concrete sealant by owner or flooring contractors before any floor coverings are replaced. CONTRACTOR will haul off excavated clay and debris.

6. Slurry to be pumped into voids will consist of soil and approximately two and one-half (2 1/2) sacks of stabilizing agent per cubic yard of soil. Due to the high plasticity of Houston area soils, CONTRACTOR recommends that any areas of the foundation which are raised approximately one inch or less should not be pumped with slurry.

7. It is understood and agreed that the slurry used to fill voids under the slab is a fluid substance and will flow through small cracks and crevices and CONTRACTOR shall not be responsible for damage resulting therefrom. Should there be any cracks in the sewer drain pipes or any other drain lines under the slab due to settling or raising, the price below does not include such repairs of any damage resulting therefrom. CONTRACTOR requires that HOMEOWNER has a Hydrostatic Pressure Test performed on under slab sewer/drain lines by an independent plumber before and after leveling is completed. This test is to check for leaks or breaks in sewer/drain lines. CONTRACTOR will keep the pipes open and operative. CONTRACTOR is not responsible for cleaning, roto-rooting, or repairing.

8. It is not anticipated that there will be any problems with the plumbing above the slab. However, if any leaks occur in the potable water or gas pipes due to the raising, CONTRACTOR will cause such leaks to be repaired at his expense, corrosion damage excluded.

9. Although CONTRACTOR has examined the building/structure heretofore described he is not totally familiar with conditions below ground level, the design of the foundation, or the construction materials used in the foundation and is making his recommendations based upon his experience in the industry. By reason of uncertainty, there is no assurance that the desired results will be totally achieved and that the same or similar problems may not occur in the future. IT IS UNDERSTOOD THAT IF A BUILDING/STRUCTURE IS PARTIALLY PIERED FURTHER SETTLEMENT MAY OCCUR IN OTHER AREAS SUCH AS THE REMAINDER OF THE PERIMETER AND/OR THE INTERIOR OF THE BUILDING/STRUCTURE. THEREFORE, THESE OTHER AREAS ABOVE MENTIONED ARE NOT COVERED BY OUR SERVICE AGREEMENT. When raising a slab, it is possible that more stress fractures will develop in the slab and damage will result above the level of the slab such as, but not limited to, sheetrock, wall plaster, tile, wooden members, roof, or other rigid materials. Therefore, the price below does not include any redecorating, repairing, or replacing of any material or items not specifically called for in this AGREEMENT. CONTRACTOR will remove and place in area of property as designated by OWNER any plants or shrubs on an as needed basis for project operations. Plants and shrubs will be returned to original positions as part of Project Completion. CONTRACTOR assumes no responsibility for plants, trees or shrubs which may be damaged or die during operation and OWNER waives any claim for damages for each and all items set forth in this paragraph. OWNER further releases CONTRACTOR from any liability for damage due to poor construction of building/structure not disclosed to CONTRACTOR by OWNER prior to commencement of work called for in this AGREEMENT.

AGREEMENT



DAWSON

Foundation Repair Inc.

SERVING

Austin, Beaumont,
Bryan/College Station,
Corpus Christi, Dallas/Ft. Worth,
Houston, San Antonio,
Victoria and Waco

6906 Chetwood • Houston, Texas 77081 • (713) 668-2110 • Fax (713) 668-8521

1. DAWSON FOUNDATION REPAIR INC., hereafter called CONTRACTOR and _____

John Madden

hereafter called OWNER, agree that CONTRACTOR will furnish labor, equipment, and materials to perform the following described work to the hereinafter described building/structure located at 2715 Oakland Sugarland Tx.

2. CONTRACTOR WILL INSTALL (15) Fifteen piers

BELL-BOTTOM PIERS UNDER THE FOUNDATION BEAMS OF THE BUILDING/STRUCTURE IN PLACES RECOMMENDED BY CONTRACTOR. PIERS WILL HAVE AN APPROXIMATELY THIRTY-SIX INCH DEEP JACKING PAD. THIS JACKING PAD THEN TAPERS TO A NINE INCH SHAFT, APPROXIMATELY THREE FEET SIX INCHES BELOW GRADE-BEAM. BASED ON A 15FT. CORE TEST, THE PIERS MAY HAVE TO BE PLACED AT A DEPTH OF NO LESS THAN EIGHT FEET OR A DEPTH OF NO MORE THAN TWELVE FEET, SAND, WATERTABLE, OR SUBSURFACE, MAN-PLACED OBJECTS PERMITTING. PIERS WILL BE UNDER-REAMED WITH A TWENTY-TWO INCH BELL BOTTOM. EACH PIER WILL BE REINFORCED WITH THREE (3) ONE HALF (1/2) INCH STEEL RODS AND POURED WITH FIVE-SACK CONCRETE. CONTRACTOR WILL RAISE Foundation where piers are installed

There is a potential for interior piers.

of the building/structure and level to as near level line as construction of the building/structure will permit and will fill voids under the raised area by use of the mud-jack method. OWNER approves this method of repair and recognizes that such method is a generally accepted method of foundation repair employed in the area.

3. If slab is a post tension design, degree of levelness may be limited by structural integrity of the slab. There are three main problems with construction of post tension slabs. First the post tension cables may not have been tensioned correctly at the time of construction. Second, interior structural grade beams are not always located under load bearing walls. Third the cable tendons are not grouted properly at the exterior grade beam and can rust therefore creating a loss of cable tension. CONTRACTOR recommends that post tension cable slabs be checked by a post tension cable company after raising of the slab foundation has been completed. If cracks in the slab exceed one-eighth (1/8) of one inch, CONTRACTOR recommends that these cracks be pressure injected with epoxy by a company which specializes in this type of work.

4. Where interior piers are needed to correct foundation problems CONTRACTOR will use masking tape to hold plastic sheeting to walls for protection of walls. In the event that wallpaper or paint is damaged on removal of tape and plastic owner releases CONTRACTOR of liability for damage to paint and wallpaper.

5. Where holes are broken through slab, patios, sidewalks or driveways in order to install piers; CONTRACTOR will patch concrete. However, patches will not match color or texture of original concrete. CONTRACTOR will (break through) but will not replace exterior ground cover such as but not limited to brick, stone pavers, astroturf, etc. Where tile or vinyl is broken through to install piers CONTRACTOR will not repair or replace tile or vinyl. Where floor covering (i.e. carpet, wood floors, parquet etc.) has to be removed to install interior piers CONTRACTOR will not remove or replace floor coverings. OWNER understands and agrees that where interior piers are installed concrete patches should be sealed with concrete sealant by owner or flooring contractors before any floor coverings are replaced. CONTRACTOR will haul off excavated clay and debris.

6. Slurry to be pumped into voids will consist of soil and approximately two and one-half (2 1/2) sacks of stabilizing agent per cubic yard of soil. Due to the high plasticity of Houston area soils, CONTRACTOR recommends that any areas of the foundation which are raised approximately one inch or less should not be pumped with slurry.

7. It is understood and agreed that the slurry used to fill voids under the slab is a fluid substance and will flow through small cracks and crevices and CONTRACTOR shall not be responsible for damage resulting therefrom. Should there be any cracks in the sewer drain pipes or any other drain lines under the slab due to settling or raising, the price below does not include such repairs of any damage resulting therefrom. CONTRACTOR requires that HOMEOWNER has a Hydrostatic Pressure Test performed on under slab sewer/drain lines by an independent plumber before and after leveling is completed. This test is to check for leaks or breaks in sewer/drain lines. CONTRACTOR will keep the pipes open and operative. CONTRACTOR is not responsible for cleaning, roto-rooting, or repairing.

8. It is not anticipated that there will be any problems with the plumbing above the slab. However, if any leaks occur in the potable water or gas pipes due to the raising, CONTRACTOR will cause such leaks to be repaired at his expense, corrosion damage excluded.

9. Although CONTRACTOR has examined the building/structure heretofore described he is not totally familiar with conditions below ground level, the design of the foundation, or the construction materials used in the foundation and is making his recommendations based upon his experience in the industry. By reason of uncertainty, there is no assurance that the desired results will be totally achieved and that the same or similar problems may not occur in the future. IT IS UNDERSTOOD THAT IF A BUILDING/STRUCTURE IS PARTIALLY PIERED FURTHER SETTLEMENT MAY OCCUR IN OTHER AREAS SUCH AS THE REMAINDER OF THE PERIMETER AND/OR THE INTERIOR OF THE BUILDING/STRUCTURE. THEREFORE, THESE OTHER AREAS ABOVE MENTIONED ARE NOT COVERED BY OUR SERVICE AGREEMENT. When raising a slab, it is possible that more stress fractures will develop in the slab and damage will result above the level of the slab such as, but not limited to, sheetrock, wall plaster, tile, wooden members, roof, or other rigid materials. Therefore, the price below does not include any redecorating, repairing, or replacing of any material or items not specifically called for in this AGREEMENT. CONTRACTOR will remove and place in area of property as designated by OWNER any plants or shrubs on an as needed basis for project operations. Plants and shrubs will be returned to original positions as part of Project Completion. CONTRACTOR assumes no responsibility for plants, trees or shrubs which may be damaged or die during operation and OWNER waives any claim for damages for each and all items set forth in this paragraph. OWNER further releases CONTRACTOR from any liability for damage due to poor construction of building/structure not disclosed to CONTRACTOR by OWNER prior to commencement of work called for in this AGREEMENT.

10. Where holes are dug in order to perform work called for in this AGREEMENT, CONTRACTOR assumes no responsibility for damage to underground lines such as, but not limited to, electrical, or gas lines not installed by utility companies or cable companies which are not clearly marked by OWNER on the work plan prior to work commencing. OWNER waives all claims for such damages set forth in this paragraph.

11. CONTRACTOR will carry Workers' Occupational Accident Insurance up to the limit of one million dollars (\$1,000,000) and General Liability Insurance up to the limit of one million dollars (\$1,000,000).

12. Total cost for this work will be Six Thousand Seven Hundred Fifty Dollars
\$6750

PAYMENT AS FOLLOWS: OWNER agrees to pay CONTRACTOR for one-half (1/2) of the total contract price on the day the concrete pour is completed, and the final one-half (1/2) on the day the leveling is completed. In the event it is necessary to file suit for the enforcement of this contract, suit shall be filed in Harris County, Texas and the homeowner/agent agrees to pay all costs of collecting or attempting to collect or secure the moneys due pursuant to this contract, including a reasonable attorney's fee. All amounts due under this contract that are not paid when due will bear interest at the lower of the maximum rate permitted by law 18% per annum from the time at which such amounts become due. If under slab plumbing needs to be repaired before CONTRACTOR can mudpump void, CONTRACTOR will mudpump within seven days of OWNER contacting office and advising that plumbing repairs are completed. Contractor will adjust previous contractors piers at a rate of \$ N/A per pier. OUR SERVICE AGREEMENT covers Dawson Foundation Repair piers only. NO SERVICE AGREEMENT ON PREVIOUS CONTRACTORS PIERS.

13. **LIFETIME SERVICE AGREEMENT:** OWNER RECOGNIZES THAT SOIL CONDITIONS IN THIS AREA ARE SUCH THAT THERE MAY OCCUR SOME FUTURE SHIFTING OF THE SOIL, PARTICULARLY DURING PERIODS OF EXTENDED DRY WEATHER, WHICH MAY RESULT IN NEW OR ADDITIONAL SETTLING. IF ANY RE-RAISING OF THE AREA OF THE BUILDING/STRUCTURE ON WHICH CONTRACTOR PERFORMS THE WORK SET FORTH HEREIN IS NECESSARY DUE TO SETTLING, AFTER COMPLETION OF PROJECT, CONTRACTOR WILL RE-RAISE SETTLED AREAS WHERE THE ABOVE DESCRIBED PIERS HAVE BEEN INSTALLED WITHOUT COST TO THE OWNER, EXCEPT FOR REMOVAL AND/OR REPLACEMENT OF FLOOR OR GROUND COVERING. THIS SERVICE AGREEMENT WILL NOT EXTEND TO ANY PORTION, INCLUDING, BUT NOT LIMITED TO, ANY AND ALL INTERIOR AREAS OF THE BUILDING/STRUCTURE OTHER THAN THOSE PORTIONS UPON WHICH CONTRACTOR ACTUALLY PERFORMS WORK PURSUANT HERETO. SETTLEMENT OF MORE THAN THREE EIGHTHS OF ONE INCH CONSTITUTES POSSIBLE NECESSITY OF RE-RAISING. IF ANY OTHER CONTRACTOR ADJUSTS DAWSON FOUNDATION REPAIR PIERS THE LIFETIME SERVICE AGREEMENT WILL BE VOID ON THOSE PIERS.

14. This AGREEMENT, in order to be binding upon CONTRACTOR, must be signed in the space provided below, and one copy returned to the office of DAWSON FOUNDATION REPAIR INC. within ninety (90) days from the date shown below.

15. The OWNER may order extra work to be done not included in this AGREEMENT, in which event a separate AGREEMENT for such work shall be entered into between OWNER and CONTRACTOR. No oral representation made by anyone can change or modify this AGREEMENT.

16. This SERVICE AGREEMENT may be transferred. In order for the transfer to be effective, written notification thereof must be furnished to CONTRACTOR within ninety days of closing of sale by OWNER named below in person or by registered mail. These requirements must be met within ninety days of closing or the SERVICE AGREEMENT becomes null and void. Before transferring any remaining agreement, Dawson reserves the right to inspect the property to determine if there have been any intervening situations that might affect the agreement.

17. If it becomes necessary to cut builders piers, there will be an additional charge of \$ N/A per builders pier cut.

18. OWNER also understands that negative or poor drainage away from the building/structure (such as, but not limited to, pooling) or trees in close proximity to the building/structure can cause further foundation problems both in areas where piers are installed and in areas where piers are not installed. CONTRACTOR can not correct heaving of building/structure caused by problems such as, but not limited to, poor drainage or plumbing leaks.

19. **MOLD AND OTHER CONTAMINANTS:** CONTRACTOR and OWNER expressly agree that CONTRACTOR and its employees and agents will not be liable for damages or costs of any type - and OWNER will hold harmless and indemnify CONTRACTOR from any and all claims or causes of action, including negligence, arising in any way from exposure to or the presence, release, growth or origin of any microorganism, organic or inorganic contaminant including, but not limited to, mold, mildew, fungus, yeast, allergens, infectious agents, wet or dry rot, rust or lead occurring in any way as a result of the services provided and work performed. The provisions contained herein are expressly material to this agreement and the "cost to the Owner" for the heretofore described "work" is determined in part by the AGREEMENT of the OWNER to these provisions.

20. **CONTRACTOR WILL SUBMIT PLANS FOR ALL REPAIR WORK CALLED FOR IN THIS AGREEMENT TO THE APPROPRIATE CITY BUILDING INSPECTION DEPARTMENT FOR PERMITS AND INSPECTIONS:**

The undersigned has read all of the terms of the AGREEMENT, is familiar with its provisions, is aware of soil conditions in Houston and the surrounding area and resulting possible settling therefrom and accepts the AGREEMENT subject to the terms and conditions therein contained.

This contract is subject to Chapter 27, Property Code. The provisions of that chapter may affect your right to recover damages arising from the performance of this contract. If you have a complaint concerning a construction defect arising from the performance of this contract and that defect has not been corrected through normal warranty service, you must provide notice regarding the defect to the contractor by certified mail, return receipt requested, not later than the 60th day before the date you file suit to recover damages in a court of law. The notice must refer to Chapter 27, Property Code, and must describe the construction defect. If requested by the contractor, you must provide the contractor an opportunity to inspect and cure the defect as provided by Section 27.004, Property Code.

DATE 10/29/2008

OWNER
Martin Daw
CONTRACTOR
DAWSON FOUNDATION REPAIR, INC.

DAWSON

Foundation Repair Inc.

6906 Chetwood • Houston, Texas 77081 • (713) 668-2110 • Fax (713) 668-8521

Sugar Land Building Official
Permit Dept
2700 Town Center Blvd
Sugar Land Texas 77479

Date: _____

Permit Number: _____

To Whom It May Concern:

The undersigned homeowner of the premises at 2715 OAKLAND
agrees to a Special inspection in lieu of a city of Sugar Land Inspection of the foundation repair work done by
Dawson Foundation Repair Inc.

A Special Inspection of the foundation repairs listed below was made on the date of _____

All work will be completed in accordance with the city of Sugar Land ordinances.

wood
 Brick
 one story
 two story
 8' centers

6' centers
 depth of piers
 9" x 22" piers
 12" x 30" piers
15 number of piers

Sincerely,

* Home Owner: _____


Engineer: _____

Dawson Representative: Martin Dewo

- = PIER LOCATION
- = PIER LOCATION OPTION 2
- X = EXISTING PIERS
- = PIERS TO BE REJACKED

ADDRESS 2715 Oakland
 CONTACT _____
 PHONE NO. () _____
 () _____


HYDROSTATIC TEST PRE-TEST POST-TEST NO-TEST



Our Price Includes The Following:

- Building Permit As Needed
- Soil Testing (On Site To 15 Ft)
- Nortex Engineering Will Inspect All Piers

- Locate & Mark Underground Utilities
- Fill The Voids Under Slab After Lifting
- No Nonsense Lifetime Transferable Service



- MAX. LIFT
- RAINBOW/PEA GRAVEL PATCHES
- WOOD
- ✓ BRICK
- ONE-STORY
- ✓ TWO-STORY
- BREAK-OUTS
- GARAGE ATTACHED
- ✓ GARAGE DETACHED



CITY OF SUGAR LAND

APPROVED BY

APPROVED BY


Handwritten signatures and dates:
 [Signature] 1-13-09
 [Signature] 1-13-09

6906 Chetwood • Houston, Texas 77061 • (713) 668-2110 Fax 668-8521
 1-800-368-7662

DATE 1-13-09

EXAMPLE PIER DIAGRAM

2715 Oakland



6339 East Mockingbird Lane, Ste. 147-827
 Dallas, Texas 75214
 (214) 234-8421 • Fax (214) 242-2302



SERVING
 Austin, Beaumont,
 Bryan/College Station,
 Corpus Christi, Dallas/Ft. Worth,
 Houston, San Antonio,
 Victoria and Waco

ALL PIERS POURED WITH 5 SACK CONCRETE.
 NOTE: DEPTH OF PIER MAY VARY ACCORDING TO
 LOCATION OF STABLE LOAD-BEARING CLAY.
 (TEN FOOT MINIMUM DEPTH)

Revised 11/00-D



Servicing:
Austin • Beaumont
Brian/College Station
Corpus Christi • Dallas • Fort Worth
Houston • Victoria • Waco

6906 Chetwood • Houston, Texas 77081 • (713) 668-2110 • Fax (713) 668-8521

Bell Bottom Piers -VS- Pressed Pilings

Can Your Contractor Give You These Assurances?

	<i>Piers</i>	<i>Pilings</i>
Are They Able to be Inspected For Depth And Alignment?	<i>Yes</i>	<i>No</i>
Are They Reinforced With 1/2" Solid Steel, Including the Cap?	<i>Yes</i>	<i>No</i>
Are They Able To Resist Uplift/ Heave?	<i>Yes</i>	<i>No</i>
Is The Soil Tested And Identified For Load Bearing Capability?	<i>Yes</i>	<i>No</i>
Is There A Guaranteed Depth On Interior Supports?	<i>Yes</i>	<i>No</i>
Is There A Guaranteed Depth On Wood Sided Homes?	<i>Yes</i>	<i>No</i>
Is There A Guaranteed Depth On Monolithic Porches?	<i>Yes</i>	<i>No</i>
Can You Make "Structural Changes" Without Voiding Your Warranty?	<i>Yes</i>	<i>No</i>
Can They Be Installed Without Cracking The Slab, Brick, Tile, Sheetrock?	<i>Yes</i>	<i>No</i>
Will Their Warranty Be Void In Case Of Fire, Flood, Sewer Leaks?	<i>No</i>	<i>Yes</i>
Can The Depth And Size Be Designed For Each Home?	<i>Yes</i>	<i>No</i>
Are There Holes In The Center To Funnel Groundwater To The Bottom?	<i>No</i>	<i>Yes</i>

2715 Oakland Drive



Sugar Land Texas 77479

Zoned to:

Colony Meadows Elementary

Fort Settlement Middle School

Clements High School