



UPDATE TO SELLER'S DISCLOSURE NOTICE

USE OF THIS FORM BY PERSONS WHO ARE NOT MEMBERS OF THE TEXAS ASSOCIATION OF REALTORS®, INC. IS NOT AUTHORIZED.
©Texas Association of REALTORS®, Inc. 2018

UPDATE TO THE SELLER'S DISCLOSURE NOTICE CONCERNING THE PROPERTY AT _____

19332 Riverwalk Drive, Porter, TX 77365

Seller is aware of the following new information regarding the condition of the Property. Section(s) _____ are changed to read (*cite specific sections and copy the applicable language in the sections verbatim, making any necessary changes*): Section 11

Within the last 4 years, have you (Seller) received any written inspection reports or evaluations of the Property prepared by persons who regularly provide such inspections or evaluations and who are licensed, certified, or otherwise legally authorized to perform them, including but not limited to general home, roof, HVAC, plumbing, electrical, structural/foundation, pool/spa, mold, termite or other wood-destroying insect, environmental, or other specialized inspections? X YES. If yes, attach copies of any such reports and indicate the number of reports attached: Sellers Inspection Report Attached separately.

Property has 2 -220 AMP RV outlets on property with Gray water drain.

This Update to the Seller's Disclosure Notice was completed by Seller as of the date signed. No person, including the broker(s), has instructed or influenced Seller to provide inaccurate information or to omit any material information. The brokers have relied on this information as true and correct and have no reason to believe it to be false or inaccurate.

Seller acknowledges that the statements in this form are true to the best of Seller's belief.

Buyer acknowledges receipt of this form.

 dotloop verified
07/13/26 7:06 PM CDT
MHBX-VJRV-ATXJ-Z4YB


Signature of Seller Date

Printed Name: Milburn E Nagel




Signature of Buyer Date

Printed Name: _____



Signature of Seller Date

Printed Name: _____



Signature of Buyer Date

Printed Name: _____